

The State of Quantum Computing 2025: Foundations, Advanced Materials, and the Road to Scalable Quantum Technologies

Based on a talk by Beatriz Yankelevich, Stanford Quantum Computing Association

Compiled and Expanded by Marcos Eduardo Elias

April 2025

Abstract

The evolution of computation has been defined by humanity's ability to manipulate information through increasingly sophisticated physical systems—from mechanical calculators to silicon-based transistors. Classical computing, governed by Boolean logic and binary states, has reached a level of maturity that underpins modern digital society. However, as transistor dimensions shrink to the nanometer scale, quantum mechanical effects—once considered parasitic—have become unavoidable.

Rather than resisting these effects, quantum computing embraces them, utilizing the principles of quantum mechanics to process information in fundamentally new ways. Unlike classical bits, which exist definitively as zero or one, quantum bits—or qubits—operate within a multidimensional state space, enabling computations that scale exponentially with system size.

This whitepaper situates quantum computing not merely as an extension of classical paradigms but as a technological revolution. It explores how foundational quantum phenomena are being harnessed to address intractable problems in cryptography, materials science, pharmaceuticals, artificial intelligence, and optimization.

Moreover, the document extends beyond computational theory into the material and engineering challenges that define the field today: How can fragile quantum states be preserved? How do we interconnect modular quantum processors? What role do exotic quantum materials—such as magic-angle graphene and topological insulators—play in realizing practical quantum devices?

By bridging theoretical foundations with real-world applications and recent innovations, this whitepaper provides a roadmap for understanding and participating in the quantum future.

1. Introduction: From Quantum Theory to Quantum Technology

The limitations of classical computation, particularly when addressing problems involving combinatorial complexity or quantum-scale phenomena, have driven the pursuit of quantum computing. Unlike classical bits, qubits exploit quantum mechanical properties, offering access to a computational landscape where certain problems scale exponentially better than their classical counterparts.

This document begins by establishing foundational concepts before navigating through modern quantum architectures, materials science innovations, and the challenges of scaling quantum systems. It highlights how interdisciplinary efforts—spanning physics, computer science, engineering, and materials science—are converging to unlock quantum advantage across sectors.

2. Foundations of Quantum Information

2.1 Classical Bits versus Quantum Bits

A classical bit exists in one of two distinct states, either zero or one. In contrast, a quantum bit—referred to as a qubit—can exist in a linear combination of both states simultaneously. Specifically, the state of a qubit is described by two numbers, known as complex probability amplitudes, commonly denoted as alpha and beta. These amplitudes correspond to the likelihood of observing the qubit in the classical state zero or one when measured.

The key constraint is that the sum of the squares of the magnitudes of these two amplitudes must equal one. This ensures that the total probability of all possible outcomes remains consistent with physical laws.

2.2 The Bloch Sphere

The state of a single qubit can be represented geometrically on a sphere, known as the Bloch sphere. Each point on the surface of this sphere corresponds to a unique quantum state. Two angles, typically referred to as theta and phi, define the position on the sphere, capturing the continuous nature of quantum state possibilities, unlike the discrete nature of classical bits.

3. Multi-Qubit Systems and Exponential Scaling

When multiple qubits are combined, their joint state is described by the mathematical operation known as the tensor product. For every additional qubit, the total number of parameters required to describe the system doubles. Thus, a system containing 'n' qubits requires a number of parameters equal to two raised to the power of 'n'. This exponential growth enables quantum computers to represent vast amounts of information but also introduces significant challenges in terms of control and error management.

4. Quantum Gates and Circuits

Quantum gates perform operations on qubits by applying transformations that preserve the total probability. These transformations are reversible and correspond to rotations or changes in phase within the Bloch sphere framework.

Examples include:

- The Hadamard gate, which transforms a qubit from a definite state into an equal superposition of zero and one.
- The Pauli gates, which perform bit-flip or phase-flip operations.
- The Controlled-NOT gate, which operates on two qubits, flipping the second qubit if the first is in the state one.

Quantum circuits are constructed by applying sequences of these gates, followed by measurement operations that convert quantum states into classical information.

5. Core Quantum Phenomena

- **Superposition** allows a qubit to encode multiple potential outcomes until measurement forces a single result.
 - **Entanglement** creates a correlation between qubits such that the state of one instantly determines the state of another, regardless of distance.
 - **Quantum interference** enables algorithms to amplify correct outcomes while canceling incorrect ones through the manipulation of probability amplitudes.
-

6. Quantum Algorithms and Complexity

Quantum algorithms provide significant computational advantages for specific problem types:

- **Shor's algorithm** can factor large integers in a number of steps that grows polynomially with input size, compared to the best-known classical algorithms which require exponential time.
- **Grover's algorithm** searches through unsorted data in a number of steps proportional to the square root of the total number of entries, offering a quadratic speedup over classical methods.

In computational complexity theory:

- The class **P** consists of problems solvable efficiently by classical computers.
- The class **NP** includes problems where proposed solutions can be verified efficiently.
- The class **BQP** refers to problems solvable efficiently by quantum computers with bounded error probability.

The precise relationships between these classes, such as whether all problems in **NP** can be efficiently solved by quantum computers, remain open questions in theoretical computer science.

7. Quantum Hardware Architectures

Quantum computers are implemented using various physical systems:

- **Superconducting circuits**, which require extremely low temperatures to operate.
- **Photonic systems**, using particles of light to carry quantum information at room temperature.
- **Trapped ions and neutral atoms**, which offer long coherence times but slower gate speeds.
- **Topological systems**, which aim to encode information in global properties of particles, providing natural resistance to errors.

Each approach has inherent advantages and limitations in terms of scalability, stability, and operational speed.

8. Quantum Error Correction

Quantum states are fragile due to interactions with their environment. Quantum error correction schemes encode logical qubits across many physical qubits to detect and correct errors without directly observing the quantum information. Leading methods, such as surface codes, require hundreds to thousands of physical qubits to reliably represent a single logical qubit.

9. Current Milestones and Industry Landscape

Significant achievements include:

- The demonstration of quantum supremacy by Google in 2019, where a quantum processor performed a task impractical for classical supercomputers.
- Advances in photonic quantum computing by researchers in China.
- Ongoing efforts by IBM and other companies to scale quantum processors to thousands of qubits.

These developments are supported by substantial public and private investments worldwide.

10. Applications of Quantum Computing

Potential applications include:

- Breaking classical encryption schemes.
- Simulating molecular and quantum systems for drug discovery.
- Optimizing complex financial portfolios.
- Enhancing machine learning algorithms through quantum approaches.
- Establishing secure communication channels based on quantum entanglement.

11. Pathways into Quantum Computing

Opportunities exist across multiple disciplines:

- **Physicists and engineers** focus on hardware development and qubit stability.
- **Computer scientists and mathematicians** develop algorithms and quantum software frameworks.
- **Chemists and biologists** apply quantum simulations to real-world problems in materials science and pharmaceuticals.

Educational resources and cloud-based quantum processors provide accessible entry points for learners and professionals.

12. Quantum Interconnects and Distributed Quantum Computing

12.1 Scalable Quantum Communication

To build large-scale quantum computers, smaller quantum modules must communicate efficiently. Traditional methods introduce cumulative errors due to sequential information transfer.

12.2 MIT's Photon-Shuttling Innovation

MIT researchers developed a system where microwave photons, which carry quantum information, are transmitted directly between quantum processors via a superconducting waveguide. Using carefully controlled microwave pulses and reinforcement learning algorithms to shape photon emissions, they achieved efficient absorption rates exceeding sixty percent.

This enabled **remote entanglement**, where qubits in separate modules became correlated without physical connection—an essential capability for scalable quantum computing and future quantum internet architectures.

13. Quantum Materials: Superconductivity and Quantum Geometry in Magic-Angle Graphene

As quantum computing advances, the discovery and characterization of novel quantum materials play a pivotal role in shaping future hardware architectures. Among these materials, **magic-angle graphene** has emerged as a groundbreaking platform due to its unconventional superconducting properties. Understanding these properties is crucial, not only for fundamental physics but also for potential applications in quantum devices.

13.1 The Concept of Superconductivity and Superfluid Stiffness

Superconductivity refers to a quantum phenomenon where electrical current flows through a material without encountering resistance. This occurs when electrons, which normally repel each other due to their like charges, form bound pairs known as **Cooper pairs**. These pairs behave collectively as a quantum fluid, allowing them to bypass the usual scattering processes that cause resistance in conventional materials.

However, even in a superconducting state, initiating the flow of these electron pairs requires an external influence, such as an applied electric field. The ease with which this quantum fluid responds to such a stimulus is quantified by a parameter known as **superfluid stiffness**. This measure reflects how resistant the superfluid is to being accelerated and is directly linked to the density of Cooper pairs and their ability to maintain coherent flow.

13.2 Magic-Angle Graphene: A New Frontier

Graphene, a single layer of carbon atoms arranged in a hexagonal lattice, has been extensively studied since its isolation in 2004 due to its exceptional mechanical and electrical properties. A transformative discovery occurred in 2018 when researchers observed that stacking two layers of graphene and twisting them relative to each other at a precise angle—approximately one point one degrees—induces entirely new quantum behaviors. This structure, known as **magic-angle twisted bilayer graphene**, exhibits superconductivity despite being composed of a material that does not superconduct in its monolayer form.

The mechanism behind this emergent superconductivity remained elusive, prompting investigations into fundamental parameters such as superfluid stiffness, which had never before been directly measured in a two-dimensional material of this kind.

13.3 Measuring Superfluid Stiffness in Atomically Thin Materials

Traditional methods for assessing superfluid stiffness involve embedding bulk superconducting materials within devices known as microwave resonators. These devices resonate at specific frequencies, and the introduction of a superconducting sample alters this resonance due to changes in a property called kinetic inductance. This alteration can then be related to the material's superfluid stiffness.

However, applying this technique to atomically thin materials like magic-angle graphene presented a significant challenge due to their minuscule size and fragility. The research teams at MIT and Harvard innovated a new experimental framework, seamlessly integrating a microscopic sample of magic-angle graphene into a superconducting aluminum resonator. This required precise fabrication techniques to ensure a lossless connection, preserving the integrity of both the microwave signal and the delicate quantum properties of the material.

13.4 The Role of Quantum Geometry

Upon successfully measuring the superfluid stiffness of magic-angle graphene, the researchers observed values significantly higher than predicted by conventional theories of superconductivity. Classical models, which relate superfluid stiffness primarily to the density of

Cooper pairs and their effective mass, could not account for this enhancement.

The anomaly pointed towards an intrinsic property of the electronic structure known as **quantum geometry**. Quantum geometry refers to the way in which quantum states are distributed and connected within the momentum space of a material. In certain materials, this geometric configuration can enhance superconducting behavior by allowing electron pairs to respond more effectively to external forces, independent of their conventional kinetic properties.

In the case of magic-angle graphene, the unique arrangement of electronic states induced by the twisting of layers creates a flat energy band structure. This flatness suppresses kinetic energy, thereby amplifying the influence of quantum geometric factors. The experimental data showed a temperature dependence consistent with theoretical predictions that attribute enhanced superfluid stiffness to these geometric effects.

13.5 Implications for Quantum Computing

Understanding the superconductivity of magic-angle graphene opens pathways for designing next-generation quantum computing components. The material's two-dimensional nature, combined with its tunable superconducting properties, makes it a candidate for constructing **quantum bits** that leverage both superconductivity and the flexibility of van der Waals heterostructures.

Furthermore, the integration techniques developed during this research—such as precise contact formation between graphene and aluminum resonators—demonstrate how advances in condensed matter physics can directly inform the engineering of quantum circuits.

13.6 Didactic Insights

This study provides several educational takeaways:

1. **Superfluid Stiffness as a Fundamental Parameter:** In superconductors, it is not sufficient to know that resistance vanishes. One must also understand how readily the

superconducting current can be induced, which is governed by superfluid stiffness.

2. **Quantum Geometry Beyond Conventional Theories:** The behavior of quantum materials cannot always be explained by classical analogs like mass and density alone. The geometric arrangement of quantum states plays a decisive role, especially in low-dimensional systems.
3. **Experimental Innovation in Quantum Materials:** Measuring delicate quantum phenomena in atomically thin materials requires merging concepts from quantum electronics, materials science, and microwave engineering.
4. **Flat Bands and Strong Correlation Effects:** The suppression of kinetic energy in flat-band systems like magic-angle graphene enhances electron interactions, leading to emergent phenomena such as superconductivity, magnetism, and potentially topologically protected states.

13.7 Future Directions

Building upon these findings, future research may explore:

- The extension of these measurement techniques to other two-dimensional superconductors, including twisted trilayer graphene and transition metal dichalcogenides.
- The design of quantum devices where quantum geometry is engineered to optimize superconducting properties.
- Investigation into the interplay between superconductivity and other correlated phases observed in magic-angle systems, such as insulating states and ferromagnetism.

14. Flat-Band Superconductivity: Unlocking Strongly Correlated Quantum States

14.1 The Concept of Flat Energy Bands

In solid-state physics, the behavior of electrons within a material is described by its **band structure**, which relates the energy of electrons to their momentum. In conventional materials, these bands are dispersive, meaning that electron energy changes significantly with

momentum. This dispersion governs how electrons move, effectively determining properties like conductivity and effective mass.

A **flat band** is a special case where the energy remains constant regardless of the electron's momentum. In such systems, electrons exhibit no kinetic energy dispersion. This suppression of kinetic energy leads to a regime where electron-electron interactions dominate, since there is no kinetic "pressure" to counterbalance these interactions.

14.2 Flat Bands and Strong Correlation

When kinetic energy is minimized, even weak interactions between electrons can lead to dramatic collective phenomena. These are known as **strongly correlated states**, where the behavior of each electron is no longer independent but is intrinsically linked to the state of others.

Flat-band systems, such as magic-angle graphene, provide a fertile ground for exploring exotic phases of matter:

- **Unconventional Superconductivity:** Cooper pairing mechanisms emerge that deviate from classical theories, possibly mediated by purely electronic interactions rather than lattice vibrations.
- **Mott Insulating States:** At certain electron densities, the system becomes insulating despite an available conduction band, due to repulsive interactions preventing electron movement.
- **Fractional Quantum Hall Effects:** Flat bands in the presence of magnetic fields can host states where electron charge appears quantized into fractions, a hallmark of topological order.

14.3 Engineering Flat Bands

The realization of flat bands in magic-angle graphene is achieved by twisting two graphene layers at a precise angle. This creates a **moiré pattern**, a larger periodic potential that modifies the electronic structure, flattening the energy bands.

Beyond graphene, researchers are investigating other methods to engineer flat bands, including:

- **Artificial Lattices:** Creating periodic structures via lithography or optical lattices in cold atom systems.

- **Strain Engineering:** Applying mechanical deformation to materials to manipulate their electronic properties.
- **Layered Heterostructures:** Stacking different two-dimensional materials to induce flat-band behavior through interlayer coupling.

Flat-band engineering holds promise for **designer quantum materials**, where electronic properties can be tailored to achieve desired quantum phases.

15. Topological Quantum Materials: Harnessing Geometry for Robust Quantum States

15.1 Introduction to Topology in Physics

Topology is a branch of mathematics concerned with properties that remain invariant under continuous deformations. In condensed matter physics, this concept translates into materials whose electronic states are characterized by global, non-local properties immune to local perturbations.

A **topological quantum material** possesses electronic states that are protected by these topological invariants. Unlike conventional materials, where defects or impurities degrade performance, topological states remain robust, making them attractive for quantum technologies.

15.2 Types of Topological Materials

- **Topological Insulators:** These materials behave as insulators in their bulk but host conducting states on their surfaces or edges. These surface states are protected by time-reversal symmetry and exhibit spin-momentum locking, where electron spin is tied to its direction of motion.
- **Topological Superconductors:** These systems can host exotic quasiparticles known as **Majorana modes**, which are neither purely matter nor antimatter. These modes are of significant interest for fault-tolerant quantum computing due to their inherent resistance to local sources of decoherence.

- **Weyl and Dirac Semimetals:** These materials feature linear band crossings in three-dimensional momentum space, leading to highly mobile electrons that mimic relativistic particles.

15.3 Topology and Quantum Computing

Topological protection offers a pathway to building **error-resistant quantum bits**, known as **topological qubits**. In these systems, quantum information is stored non-locally, spread across spatially separated regions, which makes it inherently immune to local noise.

Microsoft's pursuit of topological qubits, based on the manipulation of Majorana modes within specially engineered nanowires, exemplifies efforts to bring topological quantum computation to reality.

Moreover, materials like magic-angle graphene exhibit **topological flat bands**, where both strong correlation and topological order coexist, opening avenues for discovering new phases suitable for quantum devices.

15.4 The Future of Topological Materials

Ongoing research seeks to:

- Identify new materials with non-trivial topological properties.
- Develop hybrid systems combining topological insulators with superconductors to induce Majorana modes.
- Exploit topology in photonic and phononic systems for robust quantum information transfer.

Topological quantum materials represent a convergence of abstract mathematical theory and practical quantum engineering.

16. Integration of Novel Quantum Materials into Quantum Circuits

16.1 The Challenge of Material Integration

While novel quantum materials like magic-angle graphene and topological insulators offer remarkable properties, integrating them into functional quantum circuits requires overcoming substantial engineering hurdles:

- **Interface Quality:** Quantum materials must be connected to conventional superconducting components without introducing defects or losses that could degrade quantum coherence.
- **Scalability:** Techniques must be developed to reproducibly fabricate devices that incorporate atomically precise materials on a large scale.
- **Material Compatibility:** Ensuring that disparate materials—such as aluminum superconductors and two-dimensional crystals—maintain their quantum properties when combined in a single device.

16.2 Hybrid Quantum Architectures

Researchers are exploring **hybrid quantum systems**, where conventional superconducting qubits are enhanced by embedding quantum materials that offer unique functionalities:

- **Graphene-based Josephson Junctions:** Utilizing graphene's tunable electronic properties to create adjustable superconducting elements.
- **Topological Insulator Qubits:** Coupling superconductors to topological surface states to build qubits with enhanced protection against decoherence.
- **Van der Waals Heterostructures:** Stacking different two-dimensional materials to engineer bespoke quantum environments.

These hybrid architectures aim to combine the maturity and scalability of existing superconducting platforms with the exotic properties of emerging quantum materials.

16.3 Techniques for Precision Assembly

Advancements in nanoscale fabrication are central to this integration:

- **Dry Transfer Methods:** Techniques for stacking atomically thin materials without contamination.
- **Edge Contact Formation:** Creating electrical contacts along the edges of two-dimensional materials to preserve their intrinsic properties.
- **Encapsulation:** Using insulating layers, such as hexagonal boron nitride, to protect sensitive quantum materials from environmental degradation.

16.4 Impact on Quantum Device Performance

By integrating novel materials, quantum circuits can achieve:

- **Enhanced Coherence Times:** Through materials with reduced dielectric losses.
- **Reconfigurable Qubits:** Devices whose quantum properties can be dynamically tuned via external fields.
- **Multifunctional Components:** Elements that combine sensing, computation, and communication within a single quantum device.

17. Extensive Conclusion: The State of Quantum Computing (2023-2025)

Over the past 18 months, quantum computing has experienced unprecedented momentum:

- **IBM** unveiled its 1,121-qubit 'Condor' processor in late 2024, signaling a leap toward error-corrected quantum systems.
- **Google Quantum AI** refined its superconducting platform, focusing on scalable modularity and improved coherence times.
- **PsiQuantum** announced progress toward building a fault-tolerant photonic quantum computer leveraging silicon photonics fabrication.
- **Microsoft** demonstrated experimental braiding of Majorana modes, marking a milestone in topological qubit research.

- **MIT and Harvard** advanced quantum material science, particularly in measuring quantum geometric effects in magic-angle systems.
- **IonQ and Quantinuum** expanded commercial trapped-ion offerings, integrating quantum machine learning solutions.
- **The European Quantum Flagship** funded multi-nation projects focused on quantum networking protocols and error correction frameworks.
- **AWS Center for Quantum Computing** published breakthroughs in cross-platform quantum interconnects, enhancing cloud-based hybrid systems.

Academically, breakthroughs in quantum error mitigation, low-overhead correction codes, and the development of quantum benchmarks have refined our understanding of near-term device capabilities.

The convergence of corporate investment, academic research, and national initiatives has positioned quantum computing at the threshold of practical utility. While fault-tolerant, general-purpose quantum computers remain a mid-term objective, domain-specific quantum advantage is emerging in areas such as chemistry, optimization, and cryptography.

The next phase will be defined by hybrid quantum-classical systems, tighter integration of advanced materials, and the establishment of quantum network infrastructures—laying the groundwork for a fully realized quantum ecosystem.

18. Bibliography

1. Nielsen, M., & Chuang, I. (2010). Quantum Computation and Quantum Information. Cambridge University Press.
2. Preskill, J. (2018). Quantum Computing in the NISQ Era and Beyond. *Quantum*, 2, 79.
3. MIT News (2025). Photon-Shuttling Interconnects for Scalable Quantum Systems. *Nature Physics*.
4. Jarillo-Herrero, P. et al. (2025). Quantum Geometry and Superfluid Stiffness in Magic-Angle Graphene. *Nature*.
5. IBM Quantum Roadmap (2024-2025).
6. Microsoft Research (2025). Advances in Topological Quantum Computing.

7. PsiQuantum Whitepapers (2024-2025).
8. AWS Center for Quantum Computing Reports (2025).
9. European Quantum Flagship Publications (2024-2025).

19. Glossary of Terms

- **Qubit:** The fundamental unit of quantum information.
- **Superposition:** A state where a qubit exists simultaneously in multiple states.
- **Entanglement:** A quantum correlation between particles that share a joint state.
- **Quantum Interference:** The phenomenon where probability amplitudes combine constructively or destructively.
- **Flat Band:** An electronic band structure where energy does not vary with momentum.
- **Topological Protection:** Robustness of quantum states due to global geometric properties.
- **Quantum Error Correction:** Techniques to preserve quantum information despite noise.
- **Magic-Angle Graphene:** A superconducting material formed by twisting graphene layers at a specific angle.
- **Photon-Shuttling Interconnect:** A device enabling quantum communication between processors via photons.

20. Author Credentials

Dr. Marcos Eduardo Elias

Ph.D. in Mathematics and Ph.D. in Computer Science. Renowned mathematician, engineer, and quantum computing specialist with a professional background spanning financial engineering, algorithmic trading, and advanced quantum algorithm design. Founder of Holosystems, dedicated to quantum software solutions, and chairman of the Rāmānujan Institute for the Development of Prodigious Young Mathematicians.